



**2016**

DRIVE YOUR COUNTY TO THE  
**TOP TEN**

INFORMING • CONNECTING • ACCELERATING


Shelby County

**TN**

Department of  
**Health**


Demographics

|                                  |         |                    |          |                 |        |                         |        |
|----------------------------------|---------|--------------------|----------|-----------------|--------|-------------------------|--------|
| <b>Population:</b>               | 938,803 | <b>&lt;18 YOA:</b> | 25.50%   | <b>65+ YOA:</b> | 11.62% | <b>% Rural:</b>         | 2.80%  |
| <b>Unemployment:</b>             | 7.85%   | <b>% Females:</b>  | 52.40%   | <b>% Males:</b> | 47.60% | <b>Graduation Rate:</b> | 73.97% |
| <b>Single parent households:</b> | 50.34%  | <b>MHI:</b>        | \$44,015 |                 |        |                         |        |




### Top Third

| Measure                            | Value  |
|------------------------------------|--------|
| Air Pollution - Particulate Matter | 12.83  |
| Access to Exercise Opportunities   | 90.07% |
| Poor Physical Health Days          | 4.30   |
| Poor Mental Health Days            | 4.40   |
| Alcohol-Impaired Driving Deaths    | 16.32% |
| Dentists                           | 1497:1 |
| Preventable Hospital Stays         | 47.91  |
| Adult Smoking                      | 20.90% |
| Primary Care Physicians            | 1266:1 |
| Physical Inactivity                | 30.20% |




### Middle Third

| Measure               | Value   |
|-----------------------|---------|
| Premature Death       | 9278.50 |
| Mammography Screening | 61.00%  |
| Poor or Fair Health   | 22.30%  |
| Unemployment          | 7.85%   |
| Adult Obesity         | 33.50%  |
| Uninsured             | 17.41%  |



### Bottom Third

| Measure                              | Value    |
|--------------------------------------|----------|
| Violent Crime                        | 1,235.83 |
| Severe Housing Problems              | 21.79%   |
| Sexually Transmitted Infections      | 900.44   |
| High School Graduation               | 73.97%   |
| Low Birthweight                      | 11.25%   |
| Children in Single-Parent Households | 50.34%   |
| Food Environment Index               | 5.50     |
| Income Inequality                    | 5.44     |
| Children in Poverty                  | 34.50%   |
| Diabetic Monitoring                  | 84.31%   |



### Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

### Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

| Health Outcomes  | Length of Life   | Premature Death   |  |   |                   |                |                |               |               |            |  |
|--|--|---|--|---|-------------------|----------------|----------------|---------------|---------------|------------|--|
|  |  | Rank  | 10th Ranked                                | Value   | 10th Ranked Value | Difference     | Shift in Value | US Average    | Peer County   | Peer Value |  |
|  |  | 36  | Knox                                       | 9278.50   | 7735.80           | 1542.70        | ↑Bad ↓Good     | 6,600.00      | Hamilton, OH  | 8203.30    |  |
|  |  | For every 100 people in the county, 1 people in the county need to live one year closer to age 75.                  |  |   |                   |                |                |               | Duval, FL     | 8714.30    |  |
|  |  | Source  |  | National Center for Health Statistics - Mortality files |                   |                | Year(s)        | 2011-2013     | Jefferson, KY | 8714.00    |  |
| Health Outcomes  | Quality of Life  | Poor or Fair Health*  |  |   |                   |                |                |               |               |            |  |
|  |  | Rank  | 10th Ranked                                | Value   | 10th Ranked Value | Difference     | Shift in Value | US Average    | Peer County   | Peer Value |  |
|  |  | 46  | Rutherford                                 | 22.30%  | 19.60%            | 2.70%          | ↑Bad ↓Good     | 18.00%        | Hamilton, OH  | 15.50%     |  |
|  |  | Improve the health of 3 out of every 100 people in the county who, in general, report being in poor or fair health. |  |   |                   |                |                |               | Duval, FL     | 16.60%     |  |
|  |  | Source  |  | Behavioral Risk Factor Surveillance System              |                   |                | Year(s)        | 2014          | Jefferson, KY | 18.40%     |  |
|  |  | Source  |  | Behavioral Risk Factor Surveillance System              |                   |                | Year(s)        | 2014          | Jefferson, KY | 18.40%     |  |
|  |  |   | Poor Physical Health Days*                 |   |                   |                |                |               |               |            |  |
|  | Rank   | 1st Ranked  | Value                                      | 1st Ranked Value  | Difference        | Shift in Value | US Average     | Peer County   | Peer Value    |            |  |
|  | 5  | Williamson  | 4.30                                       | 3.40  | 0.90              | ↑Bad ↓Good     | 3.8            | Hamilton, OH  | 3.70          |            |  |
|  | Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month. |   |  |   |                   |                |                | Duval, FL     | 3.70          |            |  |
|  | Source   |   | Behavioral Risk Factor Surveillance System |   |                   | Year(s)        | 2014           | Jefferson, KY | 3.90          |            |  |
|  |  |   | Poor Mental Health Days*                   |   |                   |                |                |               |               |            |  |
| Rank   | 1st Ranked   | Value   | 1st Ranked Value                           | Difference  | Shift in Value    | US Average     | Peer County    | Peer Value    |               |            |  |
| 6  | Williamson   | 4.40  | 3.80                                       | 0.60  | ↑Bad ↓Good        | 2.8            | Hamilton, OH   | 4.00          |               |            |  |
| Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month. |  |   |  |   |                   |                | Duval, FL      | 4.10          |               |            |  |
| Source   |  | Behavioral Risk Factor Surveillance System  |  |   | Year(s)           | 2014           | Jefferson, KY  | 3.70          |               |            |  |
|  |  | Low Birthweight   |  |   |                   |                |                |               |               |            |  |
| Rank   | 10th Ranked  | Value   | 10th Ranked Value                          | Difference  | Shift in Value    | US Average     | Peer County    | Peer Value    |               |            |  |
| 92   | Pickett  | 11.25%  | 7.24%                                      | 4.01%   | ↑Bad ↓Good        | 8.00%          | Hamilton, OH   | 9.95%         |               |            |  |
| Reduce the number of low birth weight babies by 5 for every 100 live births.   |  |   |  |   |                   |                | Duval, FL      | 9.42%         |               |            |  |
| Source   |  | National Center for Health Statistics - Natality files  |  |   | Year(s)           | 2007-2013      | Jefferson, KY  | 9.22%         |               |            |  |
| Health Factors   | Health Behaviors   | Adult Smoking*  |  |   |                   |                |                |               |               |            |  |
|  |  | Rank  | 1st Ranked                                 | Value   | 1st Ranked Value  | Difference     | Shift in Value | US Average    | Peer County   | Peer Value |  |
|  |  | 8   | Williamson                                 | 20.90%  | 16.20%            | 4.70%          | ↑Bad ↓Good     | 17.00%        | Hamilton, OH  | 19.60%     |  |
|  | Get 23 out of every 100 current adult smokers in the county to quit smoking.   |   |  |   |                   |                |                | Duval, FL     | 18.20%        |            |  |
|  | Source   |   | Behavioral Risk Factor Surveillance System |   |                   | Year(s)        | 2014           | Jefferson, KY | 21.80%        |            |  |
|  |  |   | Adult Obesity                              |   |                   |                |                |               |               |            |  |
|  | Rank   | 10th Ranked   | Value                                      | 10th Ranked Value                                       | Difference        | Shift in Value | US Average     | Peer County   | Peer Value    |            |  |
|  | 57   | Hamilton  | 33.50%                                     | 29.90%  | 3.60%             | ↑Bad ↓Good     | 27.00%         | Hamilton, OH  | 28.90%        |            |  |
|  | Get 11 out of every 100 current obese adults in the county to reduce their BMI below 30.                                     |   |  |   |                   |                |                | Duval, FL     | 29.50%        |            |  |
| Source   |  | CDC Diabetes Interactive Atlas  |  |   | Year(s)           | 2012           | Jefferson, KY  | 31.20%        |               |            |  |
|  |  | Food Environment Index  |  |   |                   |                |                |               |               |            |  |
| Rank   | 5th Ranked   | Value   | 5th Ranked Value                           | Difference  | Shift in Value    | US Average     | Peer County    | Peer Value    |               |            |  |
| 91   | Cannon   | 5.50  | 7.9  | 2.4   | ↑Good ↓Bad        | 7.20           | Hamilton, OH   | 6.30          |               |            |  |
| Increase the county's food index score by 2.4.   |  |   |  |   |                   |                | Duval, FL      | 6.20          |               |            |  |
| Source   |  | USDA Food Environment Atlas, Map the Meal Gap   |  |   | Year(s)           | 2013           | Jefferson, KY  | 6.90          |               |            |  |

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. \*The action statements are based on the assumption that no new additional cases occur. \*\*Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

|   |   | Health Behaviors  |             |                   |                   |                |   |   |  | Peer County   |               | Peer Value    |        |
|---|---|---|-------------|-------------------|-------------------|----------------|---|---|--|---------------|---------------|---------------|--------|
|   |   | Rank  | 5th Ranked  | Value             | 5th Ranked Value  | Difference     | Shift in Value  | US Average  |  |               |               |               |        |
| Health Factors  | Physical Inactivity<br><a href="#">Percentage of adults aged 20 and over reporting no leisure-time physical activity</a>  | 10  | Chester     | 30.20%            | 29.40%            | 0.80%          | ↑Bad ↓Good  | 23.00%  | Hamilton, OH   | 23.20%        |               |               |        |
|   |   | Get 3 out of every 100 currently physically inactive adults to exercise during leisure time.  |             |                   |                   |                |   |   |  | Duval, FL     | 23.70%        |               |        |
|   |   | Source  |             |                   |                   |                |   |   | CDC Diabetes Interactive Atlas                         | Year(s)       | 2012          | Jefferson, KY | 25.60% |
|   |   | Access to Exercise Opportunities<br><a href="#">Percentage of population with adequate access to locations for physical activity</a>  |             | Rank              | 1st Ranked        | Value          | 1st Ranked Value  | Difference  | Shift in Value   | US Average    | Peer County   | Peer Value    |        |
|   | 3   | Johnson   | 90.07%      | 100.00%           | 9.93%             | ↑Good ↓Bad     | 84.00%  | Hamilton, OH  | 94.63%   |               |               |               |        |
|   | Consider how to remove barriers to access exercise locations to reach an additional 9.93 percent of the county's population.  |   |             |                   |                   |                |   |   | Duval, FL  | 93.47%        |               |               |        |
|   | Source  |   |             |                   |                   |                |   | Business Analyst, Delorme, ESRI, & US Census Tigerline Files        | Year(s)  | 2010 & 2014   | Jefferson, KY | 95.25%        |        |
|   | Excessive Drinking<br><a href="#">Percentage of adults reporting binge or heavy drinking</a>  | Rank  | 10th Ranked | Value             | 10th Ranked Value | Difference     | Shift in Value  | US Average  | Peer County  | Peer Value    |               |               |        |
|   |   | 19  | Benton      | 10.90%            | 10.60%            | 0.30%          | ↑Bad ↓Good  | 17.00%  | Hamilton, OH   | 18.80%        |               |               |        |
|   |   | Get 3 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.  |             |                   |                   |                |   |   |  | Duval, FL     | 19.40%        |               |        |
| Source  |   |   |             |                   |                   |                | Behavioral Risk Factor Surveillance System                      | Year(s)   | 2014   | Jefferson, KY | 15.90%        |               |        |
| Alcohol-Impaired Driving Deaths<br><a href="#">Percentage of driving deaths with alcohol involvement</a>  | Rank  | 5th Ranked  | Value       | 5th Ranked Value  | Difference        | Shift in Value | US Average  | Peer County   | Peer Value   |               |               |               |        |
|   | 6   | Hardeman  | 16.32%      | 13.04%            | 3.27%             | ↑Bad ↓Good     | 31.00%  | Hamilton, OH  | 40.89%   |               |               |               |        |
|   | Reduce the number of alcohol related driving deaths by 3.27 percent.  |   |             |                   |                   |                |   |   | Duval, FL  | 34.09%        |               |               |        |
|   | Source  |   |             |                   |                   |                |   | Fatality Analysis Reporting System                                  | Year(s)  | 2010-2014     | Jefferson, KY | 31.51%        |        |
| Sexually Transmitted Infections<br><a href="#">Number of newly diagnosed chlamydia cases per 100,000 population</a>   | Rank  | 10th Ranked   | Value       | 10th Ranked Value | Difference        | Shift in Value | US Average  | Peer County   | Peer Value   |               |               |               |        |
|   | 94  | Overton   | 900.44      | 153.22            | 747.22            | ↑Bad ↓Good     | 446.60  | Hamilton, OH  | 820.91   |               |               |               |        |
|   | Consider ways to educate 9 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia. |   |             |                   |                   |                |   |   | Duval, FL  | 650.29        |               |               |        |
|   | Source  |   |             |                   |                   |                |   | National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention | Year(s)  | 2013          | Jefferson, KY | 658.47        |        |
| Teen Births<br><a href="#">Teen birth rate per 1,000 female population, ages 15-19</a>  | Rank  | 10th Ranked   | Value       | 10th Ranked Value | Difference        | Shift in Value | US Average  | Peer County   | Peer Value   |               |               |               |        |
|   | 70  | Putnam  | 55.21       | 34.87             | 20.34             | ↑Bad ↓Good     | 35.00   | Hamilton, OH  | 38.76  |               |               |               |        |
|   | For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 37 teen(s) from becoming pregnant.  |   |             |                   |                   |                |   |   | Duval, FL  | 42.75         |               |               |        |
|   | Source  |   |             |                   |                   |                |   | National Center for Health Statistics - Natality files              | Year(s)  | 2007-2013     | Jefferson, KY | 43.54         |        |
| Clinical Care   | Uninsured<br><a href="#">Percentage of population under age 65 without health insurance</a>   | Rank  | 10th Ranked | Value             | 10th Ranked Value | Difference     | Shift in Value  | US Average  | Peer County  | Peer Value    |               |               |        |
|   |   | 61  | Cheatham    | 17.41%            | 14.54%            | 2.87%          | ↑Bad ↓Good  | 17.00%  | Hamilton, OH   | 13.23%        |               |               |        |
|   |   | Get 17 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.   |             |                   |                   |                |   |   |  | Duval, FL     | 19.38%        |               |        |
|   |   | Source  |             |                   |                   |                |   |   | Small Area Health Insurance Estimates                  | Year(s)       | 2013          | Jefferson, KY | 15.92% |
|   | Primary Care Physicians<br><a href="#">Ratio of population to primary care physicians</a>   | Rank  | 5th Ranked  | Value             | 5th Ranked Value  | Difference     | Shift in Value  | US Average  | Peer County  | Peer Value    |               |               |        |
|   |   | 8   | Knox        | 1266:1            | 895:1             | 371            | ↑Bad ↓Good  | 1320:1  | Hamilton, OH   | 955:1         |               |               |        |
|   |   | To reach a population-to-provider ratio at or exceeding that of the 5th ranking county, 40 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area. |             |                   |                   |                |   |   |  | Duval, FL     | 1159:1        |               |        |
|   |   | Source  |             |                   |                   |                |   |   | Area Health Resource File/American Medical Association | Year(s)       | 2013          | Jefferson, KY | 1075:1 |
|   | Dentists<br><a href="#">Ratio of population to dentists</a>   | Rank  | 5th Ranked  | Value             | 5th Ranked Value  | Difference     | Shift in Value  | US Average  | Peer County  | Peer Value    |               |               |        |
|   |   | 6   | Hamilton    | 1497:1            | 1416:1            | 81             | ↑Bad ↓Good  | 1540:1  | Hamilton, OH   | 1405:1        |               |               |        |
| To reach a population-to-provider ratio at or exceeding that of the 5th ranking county, 5 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area. |   |   |             |                   |                   |                |   | Duval, FL   | 1385:1   |               |               |               |        |
| Source  |   |   |             |                   |                   |                | Area Health Resource File/National Provider Identification file | Year(s)   | 2014   | Jefferson, KY | 1020:1        |               |        |

| Health Factors  | Clinical Care | Mental Health Providers  |             | Rank    | 10th Ranked       | Value      | 10th Ranked Value | Difference    | Shift in Value | US Average | Peer County  | Peer Value |
|---|---------------|--|-------------|---------|-------------------|------------|-------------------|---------------|----------------|------------|--------------|------------|
|   |               | <a href="#">Ratio of population to mental health providers</a> |             | 14      | Henry             | 763:1      | 644:1             | 119           | ↑Bad ↓Good     | 490:1      | Hamilton, OH | 423:1      |
| <p>To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 30 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.</p> |               | Duval, FL  |             | 615:1   |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | CMS, National Provider Identification file                     |             | Year(s) |                   | 2015       |                   | Jefferson, KY |                | 359:1      |              |            |
| Preventable Hospital Stays  |               | Rank   | 5th Ranked  | Value   | 5th Ranked Value  | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees</a>  |               | 6  | Knox        | 47.91   | 45.07             | 2.84       | ↑Bad ↓Good        | 54.00         | Hamilton, OH   | 51.00      |              |            |
| <p>For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.</p>   |               | Duval, FL  |             | 62.42   |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | Dartmouth Atlas of Health Care                                 |             | Year(s) |                   | 2013       |                   | Jefferson, KY |                | 60.86      |              |            |
| Diabetic Monitoring   |               | Rank   | 10th Ranked | Value   | 10th Ranked Value | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring</a>  |               | 79   | Giles       | 84.31%  | 89.20%            | 4.90%      | ↑Good ↓Bad        | 63.00%        | Hamilton, OH   | 86.77%     |              |            |
| <p>For every 100 diabetic Medicare enrollees, get 5 additional Medicare enrollees to receive HbA1c screening.</p>   |               | Duval, FL  |             | 84.59%  |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | Dartmouth Atlas of Health Care                                 |             | Year(s) |                   | 2013       |                   | Jefferson, KY |                | 87.17%     |              |            |
| Mammography Screening   |               | Rank   | 5th Ranked  | Value   | 5th Ranked Value  | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of female Medicare enrollees ages 67-69 that receive mammography screening</a>   |               | 36   | Cumberland  | 61.00%  | 71.00%            | 10.00%     | ↑Good ↓Bad        | 63.00%        | Hamilton, OH   | 62.00%     |              |            |
| <p>For every 100 female Medicare enrollees, get 10 additional Medicare enrollees to receive their mammography screening.</p>  |               | Duval, FL  |             | 65.00%  |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | Dartmouth Atlas of Health Care                                 |             | Year(s) |                   | 2013       |                   | Jefferson, KY |                | 63.00%     |              |            |
| High School Graduation  |               | Rank   | 1st Ranked  | Value   | 1st Ranked Value  | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of ninth-grade cohort that graduates in four years</a>   |               | 94   | Tipton      | 73.97%  | 98.00%            | 24.03%     | ↑Good ↓Bad        | 82.00%        | Hamilton, OH   | 81.52%     |              |            |
| <p>For every 100 ninth graders, assist 25 additional ninth graders to graduate within four years.</p>   |               | Duval, FL  |             | 72.00%  |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | EDFacts  |             | Year(s) |                   | 2012-2013  |                   | Jefferson, KY |                | 77.00%     |              |            |
| Some College  |               | Rank   | 5th Ranked  | Value   | 5th Ranked Value  | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of adults ages 25-44 years with some post-secondary education</a>  |               | 10   | Davidson    | 62.28%  | 67.02%            | 4.73%      | ↑Good ↓Bad        | 64.00%        | Hamilton, OH   | 68.85%     |              |            |
| <p>For every 100 adults between 25-44 years of age, assist 5 additional adults to complete some coursework at the collegiate level.</p>   |               | Duval, FL  |             | 64.18%  |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | American Community Survey                                      |             | Year(s) |                   | 2010-2014  |                   | Jefferson, KY |                | 68.02%     |              |            |
| Unemployment  |               | Rank   | 10th Ranked | Value   | 10th Ranked Value | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of population ages 16 and older unemployed but seeking work</a>  |               | 48   | Robertson   | 7.85%   | 5.69%             | 2.16%      | ↑Bad ↓Good        | 6.20%         | Hamilton, OH   | 5.34%      |              |            |
| <p>For every 100 persons ages 16 years and older, help 3 persons successfully find employment.</p>  |               | Duval, FL  |             | 6.70%   |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | Bureau of Labor Statistics                                     |             | Year(s) |                   | 2014       |                   | Jefferson, KY |                | 6.09%      |              |            |
| Children in Poverty   |               | Rank   | 10th Ranked | Value   | 10th Ranked Value | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Percentage of children under age 18 in poverty</a>  |               | 85   | Dickson     | 34.50%  | 21.10%            | 13.40%     | ↑Bad ↓Good        | 22.00%        | Hamilton, OH   | 24.40%     |              |            |
| <p>For every 100 children (under 18 years) in poverty, help 39 children to find assistance to get out of poverty.</p>   |               | Duval, FL  |             | 26.70%  |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | Small Area Income and Poverty Estimates                        |             | Year(s) |                   | 2014       |                   | Jefferson, KY |                | 23.90%     |              |            |
| Income Inequality   |               | Rank   | 10th Ranked | Value   | 10th Ranked Value | Difference | Shift in Value    | US Average    | Peer County    | Peer Value |              |            |
| <a href="#">Ratio of household income at the 80th percentile to income at the 20th percentile</a>   |               | 90   | Houston     | 5.44    | 4.11              | 1.33       | ↑Bad ↓Good        | 4.70          | Hamilton, OH   | 5.81       |              |            |
| <p>To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 2 household(s).</p>  |               | Duval, FL  |             | 4.72    |                   |            |                   |               |                |            |              |            |
| <p>Source</p>   |               | American Community Survey                                      |             | Year(s) |                   | 2010-2014  |                   | Jefferson, KY |                | 5.01       |              |            |
| Social & Economic Factors   |               |  |             |         |                   |            |                   |               |                |            |              |            |

| Health Factors | Social & Economic Factors | Children in Single-Parent Households  |             |  |                   |            |                |            |               |            |
|----------------|---------------------------|---|-------------|--|-------------------|------------|----------------|------------|---------------|------------|
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 92  | Lawrence    | 50.34%   | 23.36%            | 26.98%     | ↑Bad ↓Good     | 34.00%     | Hamilton, OH  | 43.19%     |
|                |                           | For every 100 single parent households in the county, investigate ways to encourage 54 households to be a multi-parent household.           |             |  |                   |            |                |            | Duval, FL     | 42.48%     |
|                |                           | Source  |             | American Community Survey                                |                   | Year(s)    |                | 2010-2014  | Jefferson, KY | 42.49%     |
|                |                           | Percentage of children that live in a household headed by single parent   |             |  |                   |            |                |            |               |            |
| Health Factors | Social & Economic Factors | Social Associations   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 67  | Johnson     | 9.13   | 16.13             | 7.00       | ↑Good ↓Bad     | 9.00       | Hamilton, OH  | 10.95      |
|                |                           | For every 100 people in the county, increase the number of membership associations by 1.  |             |  |                   |            |                |            | Duval, FL     | 9.12       |
|                |                           | Source  |             | County Business Patterns                                 |                   | Year(s)    |                | 2013       | Jefferson, KY | 10.03      |
|                |                           | Number of membership associations per 10,000 population   |             |  |                   |            |                |            |               |            |
| Health Factors | Social & Economic Factors | Violent Crime   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 95  | Carter      | 1235.83  | 206.33            | 1029.50    | ↑Bad ↓Good     | 392.00     | Hamilton, OH  | 500.87     |
|                |                           | For every 100 persons in the county, prevent 84 people from committing a violent crime.   |             |  |                   |            |                |            | Duval, FL     | 645.58     |
|                |                           | Source  |             | Uniform Crime Reporting - FBI                            |                   | Year(s)    |                | 2010-2012  | Jefferson, KY | 579.11     |
|                |                           | Number of reported violent crime offenses per 100,000 population  |             |  |                   |            |                |            |               |            |
| Health Factors | Social & Economic Factors | Injury Deaths   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 11  | Washington  | 70.58  | 70.04             | 0.54       | ↑Bad ↓Good     | 60.00      | Hamilton, OH  | 63.19      |
|                |                           | For every 1,000 population consider ways to prevent 8 deaths as a result of intentional and unintentional injury.                           |             |  |                   |            |                |            | Duval, FL     | 74.79      |
|                |                           | Source  |             | CDC WONDER mortality data                                |                   | Year(s)    |                | 2009-2013  | Jefferson, KY | 71.67      |
|                |                           | Number of deaths due to injury per 100,000 population   |             |  |                   |            |                |            |               |            |
| Health Factors | Social & Economic Factors | Air Pollution - Particulate Matter  |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 1st Ranked  | Value  | 1st Ranked Value  | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 1   | Shelby      | 12.83  | 12.83             | 0.00       | ↑Bad ↓Good     | 11.40      | Hamilton, OH  | 13.27      |
|                |                           | No action required.   |             |  |                   |            |                |            | Duval, FL     | 12.02      |
|                |                           | Source  |             | CDC WONDER Environmental data                            |                   | Year(s)    |                | 2011       | Jefferson, KY | 13.52      |
|                |                           | Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)  |             |  |                   |            |                |            |               |            |
| Health Factors | Physical Environment      | Drinking Water Violations   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 1st Ranked  | Value  | 1st Ranked Value  | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | No Rank   | NA          | No   | No                | NA         | NA             | NA         | Hamilton, OH  | No         |
|                |                           | There were no health-based drinking water violations.   |             |  |                   |            |                |            | Duval, FL     | Yes        |
|                |                           | Source  |             | Safe Drinking Water Information System                   |                   | Year(s)    |                | FY2013-14  | Jefferson, KY | No         |
|                |                           | Percentage of population potentially exposed to water exceeding a violation limit during the past year                                      |             |  |                   |            |                |            |               |            |
| Health Factors | Physical Environment      | Severe Housing Problems   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 95  | Unicoi      | 21.79%   | 11.70%            | 10.09%     | ↑Bad ↓Good     | 19.00%     | Hamilton, OH  | 17.83%     |
|                |                           | For every 100 persons in the county experiencing housing problems, help 47 person(s) to find housing assistance.                            |             |  |                   |            |                |            | Duval, FL     | 19.75%     |
|                |                           | Source  |             | Comprehensive Housing Affordability Strategy (CHAS) data |                   | Year(s)    |                | 2008-2012  | Jefferson, KY | 15.79%     |
|                |                           | Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities |             |  |                   |            |                |            |               |            |
| Health Factors | Physical Environment      | Driving Alone to Work   |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 22  | Grundy      | 82.70%   | 80.27%            | 2.43%      | ↑Bad ↓Good     | 76.00%     | Hamilton, OH  | 79.65%     |
|                |                           | For every 100 persons that currently drive alone to work, convince 3 to carpool or take mass-transportation.                                |             |  |                   |            |                |            | Duval, FL     | 80.41%     |
|                |                           | Source  |             | American Community Survey                                |                   | Year(s)    |                | 2010-2014  | Jefferson, KY | 82.24%     |
|                |                           | Percentage of the workforce that drives alone to work   |             |  |                   |            |                |            |               |            |
| Health Factors | Physical Environment      | Long Commute - Driving Alone  |             |  |                   |            |                |            |               |            |
|                |                           | Rank  | 10th Ranked | Value  | 10th Ranked Value | Difference | Shift in Value | US Average | Peer County   | Peer Value |
|                |                           | 25  | Hamilton    | 29.70%   | 25.20%            | 4.50%      | ↑Bad ↓Good     | 31.00%     | Hamilton, OH  | 28.00%     |
|                |                           | For every 100 persons that currently drive more than 30 minutes alone to work, convince 16 to carpool or take mass-transportation.          |             |  |                   |            |                |            | Duval, FL     | 29.70%     |
|                |                           | Source  |             | American Community Survey                                |                   | Year(s)    |                | 2010-2014  | Jefferson, KY | 23.90%     |
|                |                           | Among workers who commute in their car alone, the percentage that commute more than 30 minutes  |             |  |                   |            |                |            |               |            |